

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	6	(normalized adj image adj log adj slope).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	709	(nils).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	8	(photolithograph\$9 or lithograph\$9 or microlithograph\$9).clm. and (1 or 2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	2	((four adj pole)".clm" or aperture.clm.) and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	27012	(normalized adj image adj log adj slope) or nils	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	46	(normalized adj image adj log adj slope)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	8200	four adj pole	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L5	2	2 and 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L4	4	four adj pole adj aperture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	233	(four adj pole) near8 (aperture or plate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	72	6 not magnet\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L8	51	(quadrupole or (quadra adj pole)) near10 (light or aperture)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	1368	((off adj axis) or offaxis) near5 illumination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	969	aperture and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	103	pole and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
12	BRS	L12	95	mori-kenichiro.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	5639	355/53,67.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	49	(fourpole or (four adj pole) or quadrapole or (quadra adj pole)) and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	187	359/738-740.ccls. and illumination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	426	359/738.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB